


Sample Collection Instructions

Accurate, repeated testing and removal of infected plants is critical for maintaining consistent yields. This document details the steps to collect cannabis tissue samples for testing at TUMI Genomics Laboratories. These instructions can be used for both viroid/virus and fungal/fungal-like pathogen testing.

1 Prepare Materials

Provided Materials



Testing Vials



Extra barcode stickers


User Supplied Materials



Disposable gloves




10% Bleach solution



Paper Towels

Using a gloved hand, collect four root samples evenly spaced around the base of the plant.



Place root tissue on a clean paper towel, or directly into sample tube after brushing off excess growing medium (see section 5).

4 Sterilize Hands Between Plants

Spray gloved hands with 10% bleach and spread evenly as you would hand sanitizer.




5 Add Tissue to Testing Vial

Remove lid of sample tube and place on a clean surface facing up. Take care to not expose inside of cap to contaminated areas as this could affect the accuracy of your results.



2 Identify and Label Plant

Identify the plant(s) to be tested. Add the barcode sticker that corresponds to the selected testing vial to the plant. The barcode number will appear in your testing report.




3 Collect Root Tissue

Lightly brush topsoil of plant to reveal surface root. Pull gently on root to break it away from the root mass. Only a small amount of root tissue is needed (~the length of a pinky fingernail).




Sample Collection Instructions

Remove excess soil or growing medium from root tissue by gently sliding hands along the root hair. The small amount of growing medium that remains will not interfere with the assay.



Gather root samples together. Using the trimming tool or your fingers, rip about $\frac{1}{4}$ of an inch from root samples into the testing vial.



Screw the lid back on sample tube **tightly**. Tap the tube gently on a hard surface to gather the tissue in the solution at the bottom of the tube.



6 Prepare Sample

Shake the tube vigorously for 10- 15 seconds. A white foam will appear at the top of the tube, which is normal. Your sample is now ready to ship.



7 Ship Samples to TUMI Genomics

Confirm the lid is screwed on tightly. Place vials with prepared tissue in the white box they were shipped in or a sealed plastic bag. Ship samples to:

TUMI Genomics
320 East Vine Drive Suite 129
Fort Collins, CO 80524

Common Questions

How long does the test kit last?

The testing vials are good for three months at room temperature and up to a year if stored in the refrigerator.

Should I add extra tissue for a better result?

No, excessive tissue can reduce the accuracy of the test. The most critical factor is to include small amounts of tissue from multiple parts of the plant, including the root.

How long is the sample stable after collection?

We encourage customers to ship samples back to us as soon as possible. However, tissue samples are stable in the collection solution for a week or more. If storing for a prolonged period (more than 3 days), refrigeration is recommended.

Should I ship my samples on ice?

Ice is not necessary when shipping samples. The stabilization solution is very effective even in warm, summer temperatures.

Have more questions?

See the FAQ section of our website or contact us at (720) 807-8864 or sales@tumigenomics.com